Application No. 09/933,984 Page 2

IN THE CLAIMS

Claim 1 (Currently Amended): A vacuum fluorescent display comprising:

- a front glass member which has light transmission properties at least partly;
- a substrate opposing said front glass member through a vacuum space;
- a phosphor film formed on a surface of said front glass member which opposes said substrate and having a predetermined <u>large-area</u> display pattern;

an-a surface electron-emitting portion comprising a coating film formed of a large number of nanotube fibers, said surface electron-emitting portion is mounted on said substrate to oppose said phosphor film and having an electron-emitting surface corresponding to the large-area display pattern;

an electron extracting electrode arranged in the vacuum space between said surface electron-emitting portion and said phosphor film to be spaced apart from said surface electron-emitting portion by a predetermined distance; and

an insulating support member formed on said substrate having partitions for supporting said electron extracting electrodes and dividing the electron-emitting surface of said <u>surface</u> electron-emitting portion into a plurality of regions, said partitions being made of material from which a larger number of secondary electrons than that of bombarded electrons are emitted.

Claim 2 (Canceled)

Claim 3 (Currently Amended): A display according to elaim 2 claim 1, wherein said partition comprises partitions that are arranged substantially equidistantly to be parallel to each other.

Claim 4 (Original): A display according to claim 3, wherein the partitions have heights of 0.2 mm to 2.0 mm each and are arranged at an interval 1/2 to 5 times the height.

Claim 5 (Currently Amended): A display according to claim 2 claim 1, wherein said partition divides the electron-emitting surface of said surface electron-emitting portion into a plurality of electron-emitting regions of almost the same shape.

BEST AVAILABLE COPY

Application No. 09/933,984 Page 3

Claim 6 (Currently Amended): A display according to clam 5, wherein the electron-emitting surface of said <u>surface</u> electron-emitting portion is divided into a plurality of stripe regions parallel to each other.

Claim 7 (Currently Amended): A display according to claim 5, wherein said insulating support member has an opening corresponding to the <u>large-area</u> display pattern, and

said partition is integrally formed with said insulating support member so as to divide the opening into a plurality of slit-like divisional openings.

Claim 8 (Original): A display according to claim 1, wherein said electron extracting electrode is formed of a mesh-like metal plate, and is supported by said insulating support member to be spaced apart from the electron-emitting surface by a predetermined distance.

Claim 9 (Original): A display according to claim 1, wherein said electron extracting electrode is formed of a conductive film formed at a top of said insulating support member.

Claim 10 (Currently Amended): A display according to claim 1, wherein said surface electron-emitting portion is formed of a larger number of carbon nanotubes formed of cylindrical graphite layers.

Claim 11 (Original): A display according to claim 1, wherein said <u>surface</u> electron-emitting portion comprises

a plate-like metal member having a large number of through holes and serving as a growth nucleus for nanotube fibers, and

a coating film formed of a large number of nanotube fibers formed on a surface of the metal member and on walls of the through holes.

Application No. 09/933,984 Page 4

Claim 12 (Currently Amended): A display according to claim 1, wherein said surface electron-emitting portion and said phosphor film comprise a plurality of sets of electron-emitting portions and phosphor films provided in the vacuum space in one-to-one correspondence for each display pattern.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:	
□ BLACK BORDERS	
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES	
☐ FADED TEXT OR DRAWING	
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING	
SKEWED/SLANTED IMAGES	
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS	
GRAY SCALE DOCUMENTS	
☐ LINES OR MARKS ON ORIGINAL DOCUMENT	
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY	
OTHER:	_

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.